

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	723288	((monitor\$3 sens\$3 detect\$4 measur\$4 judg\$4) near5 (temperature thermal\$4)) (thermister thermistor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:56
L2	167699	1 and ((display light\$3 lamp load bulb LED) with (driv\$3 control\$4 regulat\$4 operat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:56
L3	63791	2 and (oscillat\$4 ((vary\$4 adjust\$4 control\$4 increas\$4 decreas\$4 regulat\$4) near5 (frequenc\$4 puls\$3 period)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:57
L4	15922	3 and (buffer hyster\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:58
L5	13332	4 and (invert\$4 convert\$4 half near2 bridge full near2 bridge flyback fly near2 back)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:59
L6	577	5 and (((discharge fluorescen\$3) near5 (light\$3 lamp load bulb)) with (driv\$3 control\$4 regulat\$4 operat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 18:00
L8	305	6 and ((vary\$4 adjust\$4 control\$4 increas\$4 decreas\$4 regulat\$4) near5 frequenc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:30

EAST Search History

L9	39	8 and (((vary\$4 adjust\$4 control\$4 increas\$4 decreas\$4 regulat\$4) near5 frequenc\$4) same (temperature thermal\$4 thermister thermistor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:31
----	----	---	--	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	4159	11 and ((display light\$3 lamp load bulb LED) with (driv\$3 control\$4 regulat\$4 operat\$3)).clm.	US-PGPUB	OR	ON	2007/09/24 17:56
L14	754	12 and (oscillat\$4 ((vary\$4 adjust\$4 control\$4 increas\$4 decreas\$4 regulat\$4) near5 (frequenc\$4 puls\$3 period))).clm.	US-PGPUB	OR	ON	2007/09/24 17:57
L16	277	14 and (buffer hyster\$5 compar\$5).clm.	US-PGPUB	OR	ON	2007/09/24 17:59
L17	122	16 and (invert\$4 convert\$4 half near2 bridge full near2 bridge flyback fly near2 back).clm.	US-PGPUB	OR	ON	2007/09/24 17:59
L18	12	17 and ((discharge fluorescen\$3) near5 (light\$3 lamp load bulb)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 18:00